



DPM Mirrors

Galaxy Collection

Galaxy Collection **LED MIRROR**

2026-2027



/ CE / SAA / IP44

Content



Eminence Series ----- P4-P5

Custom Series ----- P6-P7

Thin Series----- P8-P9

Sunshine Series ----- P10-P32

Flare Series ----- P33-P42

Solar Wind Series ----- P43-P60

Meteor Series ----- P61-P68

Hallay Series ----- P69-P78

Pillars Series ----- P79-P89

Eclipse Series ----- P90-P102

Hollywood Series ----- P103-P106

Smart Series ----- P107-P121

Battery Series ----- P122-P128

RGB Series ----- P129-P134

EMINENCE Series




/ CE / SAA / IP44

Features:

- 3 Button Touch Switch
- All the components can be replaceable, good for environment protection
- Copper free mirror with safety film back
- LED color temperature changing 2700-6500K
- IP44

Function selection:

- 1 or 2 button switch
- Deffogger





Item Code	Width	Height	Depth
MLE80RC	792	792	32

CUSTOM
Series

ETL US Intertek / CE / SAA / IP44

Features:

- Customize patern mirror with ambient light
- All the components can be replaceable, good for environment protection
- Copper free mirror with safety film back
- LED color temperature changing 2700-6500K
- Heating pad
- IP44




Item Code	Width	Height	Depth
MLCS800	800	800	30
MLCS900	900	900	30
MLCS1000	1000	1000	30
MLCS1200	1200	1200	30

THIN
Series

 /  / SAA / IP44

Features:

- Super thin LED mirror
- 10mm depth
- Copper free mirror with safety film back
- LED color temperature changing 2700-6500K
- Heating pad
- IP44



Item Code	Width	Height	Depth
MLE3950SN	390	500	30
MLE5070SN	500	700	30
MLE6070SN	600	700	30
MLE10070SN	1000	700	30

SUNSHINE Series

 /
  /
 SAA /
 IP44



Features:

- Copper free mirror with safety film back
- LED color temperature changing 2700-6500K
- Acrylic diffused LED lighting
- Heating pad
- Touch switch
- 3 touch sensor on side panel
- IP44 Rating



Function selection:

- Digital display-Temperature,Time and date
- Bluetooth Connectivity
- Integrated speakers
- Shaver socket
- Integrated magnifying mirror
- Wireless charger
- Teethbrush charger
- Shelf for storage


Shape Selection:




Item Code	Width	Height	Depth
MLE5070SW	500	700	30
MLE6080SW	600	800	30
MLE9070SW	900	700	30
MLE1070SW	1000	700	30
MLE1270SW	1200	700	30




Item Code	Width	Height	Depth
MLE6060RD	600	600	30
MLE8080RD	800	800	30
MLE9090RD	900	900	30
MLE1010RD	1000	1000	30
MLE1212RD	1200	1200	30




Item Code	Width	Height	Depth
MLES5070-Y	500	700	30
MLES6070-Y	600	700	30
MLES8070-Y	800	700	30
MLES1070-Y	1000	700	30
MLES1270-Y	1200	700	30




Item Code	Width	Height	Depth
MLE5070S	500	700	30
MLE6080S	600	800	30
MLE9070S	900	700	30
MLE1070S	1000	700	30
MLE1270S	1200	700	30
MLE1470S	1400	700	30
MLE1670S	1600	700	30
MLE1870S	1800	700	30




Item Code	Width	Height	Depth
MLE5070D	500	700	30
MLE6080D	600	800	30
MLE9070D	900	700	30
MLE1070D	1000	700	30
MLE1270D	1200	700	30
MLE1470D	1400	700	30




Item Code	Width	Height	Depth
MLE6070D-M	600	700	30
MLE8070D-M	800	700	30
MLE1070D-M	1000	700	30
MLE1270D-M	1200	700	30
MLE1470D-M	1400	700	30





Item Code	Width	Height	Depth
MLE5070S-K	500	700	55
MLE6080S-K	600	800	55
MLE8060S-K	800	600	55
MLE1260S-K	1200	600	55





Item Code	Diameter	Depth
MLE6060R	600	30
MLE7070R	700	30
MLE8080R	800	30
MLE9090R	900	30
MLE1010R	1000	30
MLE1212R	1200	30




Item Code	Diameter	Depth
MLE6060R-X	600	30
MLE7070R-X	700	30
MLE8080R-X	800	30
MLE9090R-X	900	30
MLE1010R-X	1000	30




Item Code	Diameter	Depth
MLE6060R-M	600	30
MLE8080R-M	800	30
MLE9090R-M	900	30




Item Code	Diameter	Depth
MLE06R-N	600	30
MLE07R-N	700	30
MLE08R-N	800	30
MLE10R-N	1000	30
MLE12R-N	1200	30




Item Code	Diameter	Depth
MLE06R-H	600	30
MLE07R-H	700	30
MLE08R-H	800	30
MLE10R-H	1000	30
MLE12R-H	1200	30




Item Code	Diameter	Depth
MLE06RY	600	30
MLE07RY	700	30
MLE08RY	800	30
MLE10RY	1000	30




Item Code	Width	Height	Depth
MLE4090U	450	900	30
MLE5010U	500	1000	30
MLE6510U	650	1000	30
MLE1265U	1200	650	30




Item Code	Width	Height	Depth
MLE6080H	600	800	30
MLE8080H	800	800	30
MLE1080H	1000	800	30
MLE1280H	1200	800	30





Item Code	Width	Height	Depth
MLE6011H	600	1100	26




Item Code	Width	Height	Depth
MLE5070O	500	700	30
MLE6080O	600	800	30
MLE1060O	600	1000	30
MLE1260O	1200	600	30




Item Code	Width	Height	Depth
MLE5070P	500	700	30
MLE6080P	600	800	30
MLE1080P	800	1000	30




Item Code	Width	Height	Depth
MLE6580Q	650	800	30



Item Code	Width	Height	Depth
MLE8060R-S	800	600	30
MLE1075R-S	1000	750	30



Item Code	Diameter	Depth
MLE06R-T	600	42
MLE08R-T	800	42
MLE10R-T	1000	42
MLE12R-T	1200	42



Item Code	Width	Height	Depth
MLE8065S-T	800	650	43
MLE1065S-T	1000	650	43
MLE1265S-T	1200	650	43
MLE1465S-T	1400	650	43

FLARE Series

 /  / SAA / IP44


Features:


- Copper free mirror with safety film back
- LED color temperature changing 2700-6500K
- Acrylic diffused LED lighting
- Heating pad
- Touch switch
- IP44 Rating

Function selection:


- Digital display-Temperature,Time and date
- Bluetooth Connectivity
- Integrated speakers
- Shaver socket
- Integrated magnifying mirror

Shape of the reference:







Item Code	Width	Height	Depth
MCC5070S	500	700	30
MCC6080S	600	800	30
MCC8080S	800	800	30
MCC1080S	1000	800	30
MCC1280S	1200	800	30
MCC1480S	1400	800	30
MCC1680S	1600	800	30
MCC1880S	1800	800	30




Item Code	Width	Height	Depth
MCC5070SD	500	700	30
MCC6080SD	600	800	30
MCC1080SD	1000	800	30
MCC1280SD	1200	800	30




Item Code	Width	Height	Depth
MCC6080SE	600	800	25
MCC8080SE	800	800	25
MCC1080SE	1000	800	25
MCC1280SE	1200	800	25
MCC1480SE	1400	800	25




Item Code	Width	Height	Depth
MCC5070SY	500	700	34
MCC6070SY	600	700	34
MCC8070SY	800	700	34
MCC1070SY	1000	700	34
MCC1270SY	1200	700	34
MCC1470SY	1400	700	34




Item Code	Width	Height	Depth
MCC5070DY	500	700	30
MCC6080DY	600	800	30
MCC8080DY	800	800	30
MCC1080DY	1000	800	30
MCC1280DY	1200	800	30
MCC1480DY	1400	800	30




Item Code	Diameter	Depth
MCC6060R-A	600	30
MCC8080R-A	800	30
MCC9090R-A	900	30
MCC1010R-A	1000	30



Item Code	Width	Height	Depth
MCC4590U	450	900	30
MCC5010U	500	1000	30
MCC1265U	1200	650	30



Item Code	Width	Height	Depth
MCC5080O	500	800	30
MCC7090O	700	900	30
MCC6010O	600	1000	30
MCC6012O	1200	600	30



Item Code	Width	Height	Depth
MCC5070P	500	700	30
MCC6090P	600	900	30
MCC8012P	800	1200	30

SOLAR WIND Series

 /  / SAA / IP44


Features:


- Copper free mirror with safety film back
- LED color temperature changing 2700-6500K
- Acrylic diffused LED lighting
- Heating pad
- Touch switch
- IP44 Rating

Function selection:


- Digital display-Temperature,Time and date
- Bluetooth Connectivity
- Integrated speakers
- Shaver socket
- Integrated magnifying mirror

Shape of the reference:







Item Code	Diameter	Depth
MRD-60R-SUN	D190+D600	30
MRD-50R-SUN	D190+D500	30




Item Code	Width	Height	Depth
MLR4070S	400	700	30
MLR6070S	600	700	30
MLR8070S	800	700	30
MLR1070S	1000	700	30
MLR1270S	1200	700	30
MLR1470S	1400	700	30
MLR1670S	1600	700	30




Item Code	Width	Height	Depth
MLR4080D	400	800	30
MLR6080D	600	800	30
MLR8080D	800	800	30
MLR1080D	1000	800	30
MLR1280D	1200	800	30
MLR1480D	1400	800	30
MLR1680D	1600	800	30




Item Code	Width	Height	Depth
MLR6080D-W	600	800	30
MLR8080D-W	800	800	30
MLR1080D-W	1000	800	30
MLR1280D-W	1200	800	30




Item Code	Diameter	Depth
MLR6060R	600	30
MLR7070R	700	30
MLR8080R	800	30
MLR9090R	900	30
MLR1010R	1000	30
MLR1212R	1200	30




Item Code	Width	Height	Depth
MLR4080U	400	800	30
MLR4010U	400	1000	30
MLR4590U	450	900	30
MLR5010U	500	1000	30




Item Code	Width	Height	Depth
MLR5070O	500	700	30
MLR6090O	600	900	30
MLR6010O	600	1000	30
MLR1260O	1200	600	30




Item Code	Width	Height	Depth
MLR5070P	500	700	30
MLR6080P	600	800	30
MLR1080P	800	1000	30




Item Code	Diameter	Depth
MLR8080R-H	800	50
MLR1010R-H	1000	50




Item Code	Width	Height	Depth
MLR6080R-D	1119	897	34




Item Code	Width	Height	Depth
MLR8074R-E	800	746	30
MLR1093R-E	1000	933	30
MLR1211R-E	1200	1120	30
MLR1413R-E	1400	1300	30




Item Code	Width	Height	Depth
MLR5380R-F	533	800	30
MLR6610R-F	667	1000	30
MLR8012R-F	800	1200	30




Item Code	Width	Height	Depth
MLR8055P-S	800	550	30
MLR1280P-S	1200	800	30




Item Code	Width	Height	Depth
MLR1090H-E	1000	900	30



Item Code	Width	Height	Depth
MLR7060H	693	600	30
MLR9080H	924	800	30
MLR1110H	1155	1000	30



Item Code	Width	Height	Depth
MLR7459H-D	740	590	30
MLR8569H-D	850	690	30
MLR9579H-D	950	790	30



METEOR Series


 /  / SAA / IP44

Features:

- Copper free mirror with safety film back
- LED color temperature changing 2700-6500K
- Acrylic diffused LED lighting
- Heating pad
- Touch switch
- IP44 Rating


Function selection:


- Digital display-Temperature,Time and date
- Bluetooth Connectivity
- Integrated speakers
- Shaver socket
- Integrated magnifying mirror




Item Code	Width	Height	Depth
MLR5070S-T	500	700	30
MLR6070S-T	600	700	30
MLR8070S-T	800	700	30
MLR1070S-T	1000	700	30
MLR1270S-T	1200	700	30
MLR1470S-T	1400	700	30
MLR1670S-T	1600	700	30

Shape of the reference:







Item Code	Width	Height	Depth
MLF6070S-A	600	700	30
MLF8070S-A	800	700	30
MLF1070S-A	1000	700	30
MLF1270S-A	1200	700	30
MLF1470S-A	1400	700	30




Item Code	Width	Height	Depth
MLF5070S-B	500	700	30
MLF8070S-B	800	600	30
MLF8070S-B	800	700	30
MLF1070S-B	1000	700	30
MLF1270S-B	1200	700	30
MLF1470S-B	1400	700	30




Item Code	Width	Height	Depth
MLF6070D	600	700	30
MLF8070D	800	700	30
MLF1070D	1000	700	30
MLF1270D	1200	700	30




Item Code	Width	Height	Depth
MLF6080S-M	600	800	30
MLF1060S-M	1000	600	30
MLF1260S-M	1200	600	30



Item Code	Width	Height	Depth
MLF6060S-C	600	600	30
MLF8060S-C	800	600	30
MLF1060S-C	1000	600	30
MLF1260S-C	1200	600	30



Item Code	Diameter	Depth
MLF6060R	600	30
MLF8080R	800	30
MLF9090R	900	30
MLF1010R	1000	30



Item Code	Width	Height	Depth
MLF1080S-F	1000	800	43
MLF1280S-F	1200	800	43

HALLAY Series

 /  / SAA / IP44

Features:


- Copper free mirror with safety film back
- LED color temperature changing 2700-6500K
- Acrylic diffused LED lighting
- Heating pad
- Touch switch
- IP44 Rating

Function selection:


- Digital display-Temperature,Time and date
- Bluetooth Connectivity
- Integrated speakers
- Shaver socket
- Integrated magnifying mirror

Shape of the reference:







Item Code	Width	Height	Depth
MTD4570S-T	450	700	30
MTD6070S-T	600	700	30
MTD8070S-T	800	700	30
MTD1070S-T	1000	700	30
MTD1270S-T	1200	700	30




Item Code	Width	Height	Depth
MTD4570S-U	450	700	30
MTD6070S-U	600	700	30
MTD8070S-U	800	700	30
MTD1070S-U	1000	700	30
MTD1270S-U	1200	700	30
MTD1470S-U	1400	700	30
MTD1670S-U	1600	700	30




Item Code	Width	Height	Depth
MTD6065S-Z	600	650	125
MTD8065S-Z	800	650	125
MTD1065S-Z	1000	650	125
MTD1265S-Z	1200	650	125




Item Code	Width	Height	Depth
MTD5070S-Q	500	700	31
MTD6070S-Q	600	700	31
MTD8070S-Q	800	700	31
MTD1070S-Q	1000	700	31
MTD1270S-Q	1200	700	31
MTD1470S-Q	1400	700	31




Item Code	Width	Height	Depth
MTD5070S-A	500	700	105
MTD6070S-A	600	700	105
MTD8070S-A	800	700	105
MTD1070S-A	1000	700	105
MTD1270S-A	1200	700	105




Item Code	Width	Height	Depth
MTD6070S-D	600	700	110
MTD8070S-D	800	700	110
MTD1070S-D	1000	700	110
MTD1270S-D	1200	700	110



Item Code	Width	Height	Depth
MTD4570S-F	450	700	30
MTD6070S-F	600	700	30
MTD8070S-F	800	700	30
MTD1070S-F	1000	700	30
MTD1270S-F	1200	700	30
MTD1470S-F	1400	700	30



Item Code	Width	Height	Depth
MTD8070S-C	800	700	30
MTD1070S-C	1000	700	30
MTD1270S-C	1200	700	30



Item Code	Width	Height	Depth
MTD6080S-B	600	800	55
MTD8080S-B	800	800	55
MTD1080S-B	1000	800	55
MTD1280S-B	1200	800	55

PILLARS Series

 /  / SAA / IP44


Features:


- Copper free mirror with safety film back
- LED color temperature changing 2700-6500K
- Acrylic diffused LED lighting
- Heating pad
- Touch switch
- IP44 Rating

Function selection:


- Digital display-Temperature,Time and date
- Bluetooth Connectivity
- Integrated speakers
- Shaver socket
- Integrated magnifying mirror

Shape of the reference:







Item Code	Width	Height	Depth
MLS6065D	600	650	30
MLS8065D	800	650	30
MLS1065D	1000	650	30
MLS1265D	1200	650	30




Item Code	Width	Height	Depth
MLS5070ES	500	700	30
MLS6070ES	600	700	30
MLS7070ES	700	700	30
MLS8070ES	800	700	30
MLS9070ES	900	700	30
MLS1070ES	1000	700	30
MLS1270ES	1200	700	30




Item Code	Width	Height	Depth
MLS6070S	600	700	30
MLS8070S	800	700	30
MLS1070S	1000	700	30
MLS1270S	1200	700	30




Item Code	Width	Height	Depth
MLS6080S-B	600	800	55
MLS8080S-B	800	800	55
MLS1080S-B	1000	800	55
MLS1280S-B	1200	800	55




Item Code	Width	Height	Depth
MLS5070S-M	500	700	30
MLS8060S-M	800	600	30
MLS1060S-M	1000	600	30




Item Code	Width	Height	Depth
MLS6090H	600	900	30




Item Code	Width	Height	Depth
MLS6070S-C	600	700	30
MLS8070S-C	800	700	30
MLS1070S-C	1000	700	30
MLS1270S-C	1200	700	30



Item Code	Width	Height	Depth
MLS5070S-F	500	700	30
MLS6070S-F	600	700	30
MLS8070S-F	800	700	30
MLS1070S-F	1000	700	30
MLS1270S-F	1200	700	30
MLS1470S-F	1400	700	30



Item Code	Width	Height	Depth
MLS6080S-A	600	800	55
MLS8080S-A	800	800	55
MLS1080S-A	1000	800	55
MLS1280S-A	1200	800	55



Item Code	Width	Height	Depth
MLS1080S-P	1000	800	30
MLS1280S-P	1200	800	30

ECLIPSE Series

 /
  /
 SAA /
 IP44

Features:



- Copper free mirror with safety film back
- LED color temperature changing 2700-6500K
- Acrylic diffused LED lighting
- Heating pad
- Touch switch
- IP44 Rating

Function selection:


- Digital display-Temperature,Time and date
- Bluetooth Connectivity
- Integrated speakers
- Shaver socket
- Integrated magnifying mirror




Shape of the reference:




Item Code	Width	Height	Depth
MRD5070S-F	500	700	110
MRD6080S-F	600	800	110
MRD1280S-F	1200	800	110




Item Code	Diameter	Depth
MRD6060R-D	600	80
MRD7070R-D	700	80
MRD8080R-D	800	80
MRD9090R-D	900	80
MRD1010R-D	1000	80




Item Code	Width	Height	Depth
MRD4569U	450	690	80
MRD7095U	540	940	80




Item Code	Diameter	Depth
MRD6060R-Z	600	65
MRD8080R-Z	800	65




Item Code	Diameter	Depth
MRD06R-F	600	45
MRD08R-F	800	45
MRD10R-F	1000	45
MRD12R-F	1200	45




Item Code	Width	Height	Depth
MRD5070S-A	500	700	45
MRD6080S-A	600	800	45
MRD8080S-A	800	800	45
MRD1080S-A	1000	800	45
MRD1280S-A	1200	800	45




Item Code	Diameter	Depth
MRD06R-V	621	30
MRD08R-V	821	30
MRD10R-V	1021	30
MRD12R-V	1221	30




Item Code	Width	Height	Depth
MRD5070S-V	521	721	30
MRD6070S-V	621	721	30
MRD8070S-V	821	721	30
MRD1070S-V	1021	721	30
MRD1270S-V	1221	721	30




Item Code	Diameter	Depth
MRD6565R-N	650	32
MRD8585R-N	850	32
MRD105105R-N	1050	32
MRD125125R-N	1250	32



Item Code	Width	Height	Depth
MRD6080D	600	800	50



Item Code	Width	Height	Depth
MRD7090S-R	900	700	65



Item Code	Diameter	Depth
MRD6060R-B	600	30
MRD8080R-B	600	30
MRD9090R-B	900	30
MRD1010R-B	1000	30

HOLLYWOOD Series

 /  / SAA / IP44

Features:


- Copper free mirror with safety film back
- LED color temperature changing 2700-6500K
- Touch switch

Function selection:


- Digital display-Temperature,Time and date
- Bluetooth Connectivity
- Integrated speakers
- Shaver socket
- Integrated magnifying mirror

Shape of the reference:





Item Code	Width	Height	Depth
MDQ5070T	500	700	58.5
MDQ6070T	600	700	58.5
MDQ8070T	800	700	58.5
MDQ1070T	1000	700	58.5
MDQ1270T	1200	700	58.5



Item Code	Width	Height	Depth
MDQ5070L	500	700	58.5
MDQ6070L	600	700	58.5
MDQ8070L	800	700	58.5
MDQ1070L	1000	700	58.5
MDQ1270L	1200	700	58.5




SMART
Series


 /  / SAA / IP44


Features:

- Capacitive Touchscreen, supports 10 points touch,1920*1080 resolution display
- Android 11.0, support WIFI 2.4G/5G, Support online video and music Support Google
- High speed USB2.0 transmission
- Support bluetooth 4.0
- Support MP3,AAC,WAV and other music formats
- Support AVI,3GP,MP4,MOV,MKV and other video formats,the highest reach to1080P
- Support JPG,BMP,JPEG,GIF etc image formats
- Built-in stereo speakers
- Support ,English ,etc
- Built-in microphone.
- Use infrared sensor technology, intelligent induction to 2 meters long-distance movement of the human body, to achieve automatic wake-up function,recognition angle can up to 180 degrees
- Fully enclosed design, IP65



	Item Code	Width	Height	Depth
	MDQ5070S	500	700	58.5
	MDQ6070S	600	700	58.5
	MDQ8070S	800	700	58.5
	MDQ1070S	1000	700	58.5
	MDQ1270S	1200	700	58.5

Shape of the reference:







Item Code	Width	Height	Depth
JWSM6080S	600	800	20
JWSM7010S	700	1000	20
JWSM7012S	700	1200	20




Item Code	Width	Height	Depth
JWSM8060S	800	600	20
JWSM1070S	1000	700	20
JWSM1270S	1200	700	20




Item Code	Width	Height	Depth
JWSM4590U	450	900	20
JWSM5210U	520	1000	20
JWSM6012U	600	1200	20




Item Code	Diameter	Depth
JWSM8080R	800	20
JWSM9090R	900	20
JWSM1010R	1000	20




Item Code	Width	Height	Depth
MLSM6080S	600	800	25
MLSM8060S	800	600	25
MLSM7010S	700	1000	25
MLSM7012S	700	1200	25




Item Code	Width	Height	Depth
MLSM5210U	520	1000	25




Item Code	Diameter	Depth
MLSM8080R	800	25




Item Code	Width	Height	Depth
MWF5070D	500	700	30
MWF6080D	600	800	30
MWF9070D	900	700	30




Item Code	Width	Height	Depth
MCSM6080S	600	800	25
MCSM8060S	800	600	25




Item Code	Width	Height	Depth
MCSM5210U	520	1000	25




Item Code	Diameter	Depth
MCSM8080R	800	25



Item Code	Width	Height	Depth
MESM6080S	600	800	25
MESM8060S	800	600	25



Item Code	Width	Height	Depth
MESM5210U	520	1000	25



Item Code	Diameter	Depth
MESM8080R	800	25

BATTERY
Series



 /  / SAA / IP44

Features:


- Our best-selling Lithium Ion battery-operated LED mirror is part of our easy-to-install battery range - with no wiring necessary and featuring eco-LEDs.
- Suitable with modern and re-chargeable Lithium Ion battery, type-C charging port.
- High performance Lithium Ion Battery, 5000mAh, 60Wh.
- Rocker switch control, activate the mirror lights with the easy to use on/off switch on the right-hand side.




Shape of the reference:




Item Code	Diameter	Depth
MB60F-SE	600	55




Item Code	Width	Height	Depth
MB5700B-PG	500	700	55



Item Code	Width	Height	Depth
MB6600B-PG	600	600	55



Item Code	Width	Height	Depth
MB5800B-PG	500	800	55



Item Code	Diameter	Depth
MB6600B-PG	600	55




RGB
Series

 /  / SAA / IP44


Features:


- 5MM Copper free mirror with safety film back
- RGB Lights for back light
- LED color temperature changing 2700-6500K for front light
- Heating pad
- Three Key Touch Switch
- IP44 Rated
- APP Control or Remote control




Item Code	Width	Height	Depth
MB5700A-PG	500	700	55

Shape of the reference:







Item Code	Width	Height	Depth
RGB6080S	600	800	31.5
RGB8080S	800	800	31.5
RGB1080S	1000	800	31.5
RGB1280S	1200	800	31.5
RGB1480S	1400	800	31.5




Item Code	Diameter	Depth
RGB8080R	800	31.5
RGB9090R	900	31.5
RGB1010R	1000	31.5



Item Code	Width	Height	Depth
RGB6080U	600	800	31.5
RGB1065U	1000	650	31.5
RGB1265U	1200	650	31.5



Item Code	Width	Height	Depth
RGB5080O	500	800	31.5
RGB7090O	700	900	31.5
RGB6010O	600	1000	31.5



Item Code	Width	Height	Depth
RGB5070P	500	700	31.5
RGB6090P	600	900	31.5
RGB8012P	800	1200	31.5

Main Features For Mirror

Touch Switch / Sensor Switch

Double Touch Switch with dimmer and LED color changing

- Short touch  =ON/OFF the LED light, Keep touch=LED color changing
- Short touch  =ON/OFF the heating pad, keep touch=Dimmer function

Three touch switch with dimmer and LED color changing

-  =ON/OFF the LED light and heating pad
-  =LED color changing
-  =Dimmer Function

Three touch switch with dimmer and LED color changing

- Short touch  =ON/OFF the LED light , keep touch=Dimmer function
-  =LED color changing
-  =ON/OFF Heating pad


Optional Feature for mirror

- Digital LED clock 
- Wifi Weather Forecast 
- Liquid Crystal Display 
- Bluetooth Speaker 
- Magnifying Mirror 
- Shaver Socket 
- USB charger

Main Feature for mirror

-  Touch switch with dimmer function
touch switch on the imrror
short touch=ON/OFF
keep touch=dimmer function
-  IR Sensor with dimmer function
IR sensor on the bottom of mirror,
wave the han=ON/OFF
keep the hand=dimmer function
-  Mechanical Switch

Additional features (Optional)

-  Digital display
(clock & temp)
-  Color change
color temp.change
-  Defogger

Quality Advantage

- Copper free mirror qualified with CASS 480 hours with safety film
- Finely crafed mirror offering a bright reflection
- High Quality and High Efficiency LED light
- * LED life time >30,000 hours
- * CRI/Ra>90, R9>50
- * Color consistency < 5 SDCM
- * Lumen efficiency> 125 lm/W
- Aluminum or steel materials at the backside of mirror qualified the temperature rise testing for both LED light and driver
- Mounting Hardware included

Certifacation



RoHS

ErP





Thomas House,
84 Eccleston Square,
London
SW1V 1PX

Tel: +44 (0)203 726 1119
Email: info@dpm.studio